RECEIVED CENTRAL FAX CENTER

MAR 0 8 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

10/707,965

Filed

January 28, 2004

Atty Docket No. :

03-0527

For

Dynamic Scat Labeling and Passenger Identification System

Date

March 3, 2006

CERTIFICATE OF FACSIMILE TRANSMISSION

The undersigned hereby certifies that this correspondence (8 pages) is being transmitted by facsimile to the Centralized Facsimile Number (571-273-8300), Commissioner for Patents, P.O. Box 1450, Alexandria,

BEST AVAILABLE COPY

Virginia 22313-1450 on the dates set forth below.

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

SUBMISSION OF POWER OF ATTORNEY

Sir:

Please accept the following power of attorney form, and statement under 37 CFR 3.73(b), in the above-referenced patent application. Applicants hereby request that all future correspondence be directed to Customer Number 44702, Ostrager Chong Flaherty & Broitman, P.C., 250 Park Avenue, Suite 825, New York, New York 10177-0899.

Respectfully submitted,

March 3, 2006 Date

ozhua S. Broitman

Reg. No. 38,006

Ostrager Chong Flaherty &

Broitman P.C.

250 Park Avenue, Suite 825

New York, New York 10177-0899

Tel. No.: (212) 681-0600

RECEIVED CENTRAL FAX CENTER

MAR 0 8 2006

PTO/SB/80 (04-05)

Approved for use through 11/30/2005. ONB 0481-0005

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid ONE control number.

POWER OF ATTORNEY TO PROS					
hereby revoke all previous powers of attorney g	liven in the	appi	cation identified in	the atta	ached statement under
hereby appoint				\neg	
Practitioners associated with the Customer Number: 44702					
OR AND				ner cumb	sermust be used);
Practitioner(s) named below (if more than ten patent i	practitioners ar	re to t	6 Million India a costo.		
Name	Registration Number		Nav		Registration Number
Glenn F. Ostrager	29,963		Andres Madri	<u>d</u>	40,710
Dennis M. Flaherty	31,159		Lisa N. Bena	<u> </u>	39,905
Joshua S. Broitman	38,006	191	Terje Gudmes	stad	32,232
Leighton K. Chong	27,621		Eric Saterm	5	40,159
	20 622		John R. Raf	ter	28,533
as attorney(s) or agent(s) to represent the undersigned before any and all patent applications assigned gaily to the undersigned to this form in accordance with 37 CFR 3.73(b).	2,22,200,77	 -			
Please change the correspondence address for the applica	tion identified	in the	Wildched eletement ray		-(c 3.13(D) ia.
The address associated with Customer Number:	4	470	2	<u> </u>	
Firm of Cotungen Chang	Flaherty	, ,	Broitman PC		
Address 250 Park Avenue					
City New York	State		Y		^{Zip} 10177-0899
Country USA					
Telephone (212) 681-0600		_	Email gostrag	ereoc	fblaw.com
Assignee Name and Address: The Boeing Comp 100 N. Riversid Chicago, IL 60	le Plaza 1606				
A copy of this form, together with a statement under 37 CFR 3.73(b) (Form PTC/SB/96 or equivalent) is required to be filed in each application in which this form is used. The statement under 37 CFR 3.73(b) may be completed by one of the practitioners appointed in this form if the appointed practitioner is authorized to act on behalf of the assignee, and must identify the application in which this Power of Attorney is to be filed. SEGNATURE of Assignee of Record					
The individual whose signifies and the	decis supplied	500	y is matherized to act on		
Signature				_	December 22, 2005
Name Terje Godmestad				Teleph	one (949) 790-1374_
Time Counsel, The Boeing Con	npany	_	m is consisted to obtain of t	etalo a be	medit by the public which is to file (and
This Collection of information is required by 37 CFR 1.31, 1.32 at by the USPTO to process) an application. Confidentiality is gove to complete, including patheting, properties, and submitting the comments on the amount of time you require to complete that it is used to be submitted to complete that it is used to be submitted to complete that it is used to be submitted to complete that it used to be submitted of Contemporary of Contemporary to the submitted of Contemporary	ompaded applica om andler augg	ation for	ms to the USPTO. Time was for reducing this bushes.	at vary de; whould be (SD. DO	pending upon the Individual Cast. Art a sent to the Chief Information (Stock NOT SEND FRES OR COMPLETED

If you need essistance in completing the form, call 1-800-PTO-9199 and calcul option 2.

PTO/SB/96 (11-05)
Approved for use through 97/31/2006, ONB 0651-0031
U.S. Patent and Tastement Office; U.S. DEPARTMENT OF COMMERCE Linder the Paperson's Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. STATEMENT UNDER 37 CFR 3.73(b) The Boeing Company Applicant/Patent Owner. Application No / Palent No.: see attached Filed/Issue Date: see attached Entitled corporation The Boeing Company (Type of Assignme, e.g., comparation, postsymatrip, university, government agency, etc.) (Name of Assignor) states that it is: 1. X the assignee of the entire right, title, and interest, or 2. an assignee of less than the entire right, title and interest (The extent (by percentage) of its ownership interest is in the patent application/patent identified above by virtue of either. A X An assignment from the inventor(s) of the patent application/patent Identified above. The assignment was recorded ___, or for which a copy in the United States Patent and Trademark Office at Real ____ Frame _____ thereof is attached. B. A chain of title from the inventor(s), of the patent application/patent identified above, to the current assignee as follows: 1. From: The document was recorded in the United States Patent and Trademark Office at , or for which a copy thereof is ettached. Red 2. From: The document was recorded in the United States Patent and Trademark Office at or for which a copy thereof is attached. Reel To: The document was recorded in the United States Peters and Trademark Office at 3. Fronk , or for which a copy thereof is attached. Reel Additional documents in the chain of title are listed on a supplemental sheet. χ As required by 37 CFR 3.73(b)(1)(i), the documentary evidence of the chain of title from the original owner to the assignee was, or concurrently is being, submitted for recordation pursuant to 37 CFR 3.11. [NOTE: A separate copy (i.e., a true copy of the original assignment document(e)) must be submitted to Assignment Division in accordance with 37 CFR Part 3, to record the exsignment in the records of the USPTO, See MPEP 302 081 authorated to act un-bahalf of the assignee. The undersigned (December 22, 2005 Date Signature 2 (949) 790-1374 Terje Gudmestad Telephona Number Printed or Typed Name

This collection of information is required by 37 CFR 1.75(b). The information is required to obtain or rotate to benefit by the public which is to the (and by the USPTO to process) an application. Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to USPTO to process) an application. Confidentially is governed application from to the USPTO. Time will vary depending upon the including case. Any comments on the encount of time you require to comments for reducing this bushes, about to the Chief Information Officer. Comments on the encount of time you require to comments for reducing this bushes, about to the Chief Information Officer. U.S. Potent and Trademark Office, U.S. Opportunes of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450.

FORMS TO THIS ADDRESS, SEND TO: Commissioner for Patients, P.O. Box 1450, Alexandria, VA 22313-1450. Title

If you need assistance in completing the form, call 1-800-PTO-9199 and salect option 2.

Counsel, The Boeing Company

	5.11			70/	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0000
0253		WIDE-DANDON DITTOL MILE TO THE TO THE TO THE TO THE TOTAL	9/976,508	12-Oct-01	012271	0098
(233		WINDOW LAYER FOR A SOLAR ENERGY		ļ.	ļ	
į		CONVERSION DEVICE				
0253	Ā	WIDE-BANDGAP, LATTICE-MISMATCHED	10/356,028	31-Jan-03	014259	0577
10200	•	WINDOW LAYER FOR A SOLAR ENERGY	ì	1		
į		CONVERSION DEVICE				
00265		ANTENNA FEEDFORWARD INTERFERENCE	09/853,475	11-May-01	011809	0297
00203		CANCELLATION SYSTEM				
00300		SEMICONDUCTOR CIRCUITS AND DEVICES	09/850,773	08-May-01	011792	0263
00300		ON GERMANIUM SUBSTRATES				
0 06E	C	Liquid Hydrogen Fueled Aircraft with High Wing	29/189,740	10-Sep-03	016149	0392
0-065 1-001	<u> </u>	Method and System for Reducing Stress	10/905,484	06-Jan-05	015532	0545
7-001	}	Concentrations in Lap Joints				<u> </u>
	!	Method and System for Utilizing Low Pressure	10/404,742	01-Apr-03	013938	0241
1-1048	!	for Perforating and Consolidating an Uncured		!		
	i	Laminate Sheet in One Cycle of Operation			<u> </u>	l
		Low Chamfer Angled Torque Tube End Filting	10/710,645	27-Jul-04	014899	0101
1-1163	Α	With Elongated Overflow Groove		-	_	<u> </u>
	ļ	Simulation System And Method	09/865,293	25-May-01	011860	0356
1-275	:	Dual-Band Multiple Beam Antenna System For	10/060,822	30-Jan-02	012557	0533
1-458	!	Communication Satellites	,			İ
	÷	Duel-Band Multiple Beam Antenna System For	11/259,913	27-Oct-05	012557	0533
01-45B	ļΑ	Dust-Rand Multiple Beam Arterina System 1 or	1,1,200,010	i —		
	.	Communication Satellites Electronic Network Filter for Classified	10/137,974	03 May 02	012869	0731
01-519	1	Electronic Network Filter for Classified	10/161,238		013209	0635
01-565	1	Aircraft Surface Ice Inhibitor	09/954,404	17-Sep-0	012181	0775
01-572	↓	A Method for Detecting Foreign Object Debris	10/389,034	14-Mar-0	013876	0735
01-704	į	Operating Point Independent Digital Automatic	10000,001	1		1
	<u> </u>	Level Control	10/615,705	09-hil-0	014267	0982
01-799	. .	Redundant Power Distribution System Closed-Loop Pointing System with Spot Beams	10/349,294	22-Jan-0		0930
01-926	į	Closed-Loop Pointing System with open beams	1		1	1
<i>-</i>		and Wide-Area Beams	10/404,993	O1-Apr-O	3013938	0234
01-965	į	Method and System Having a Flowable	101-10-1,000	1 01141	7	
	}.	Pressure Pad for Consolidating an Uncured	1.	i	1	}
	∔	Leminate Sheet in a Cure Process	10/274,273	18-Oct-0	2 014219	0150
02-0018	ļ	Thermographic System and Method for	10214,210	10-00-		
	↓_	Detecting Imperfections within a Bond	10/847,739	17-May-0	4 015160	0505
02-0033	<u>ا</u> ــــــــــــــــــــــــــــــــــــ	Operational Ground Support System	10/711,610		4 015193	
02-0033	A	Operational Ground Support System	11/163,405		5 016655	
02-0033	E	Carry-On Luggage System for an Operational	1 11 103,403	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	1
	<u> </u>	Ground Support System	10/397,003	25 Mar	3013918	0156
02-0050	Ì	Low-Penetration-Force Pinmat for Perforating	10000,000	- Edward .		
	\bot	an Uncured Laminate Sheet	10/142,461	10-Mare	2 012899	0867
02-0128	}	Multi-Dimensional Fractional Number of Bits	142,401	10 110		}
		Modulation Scheme	10/327,317	20-Dec-	013618	0959
02-0173	-	Increased Propellant Performance From Equal	14327,311	200000		
	\perp	Volume Propellant Tanks	40072 000	16.00	013704	0926
02-0256		Rechargeable Composite Pty Applicator	10/272,085		35 013704	
02-0256	A	Rechargeable Composite Ply Applicator			35013644	
02-0390	Ţ	Dual Transmission Emergency Communication	10/337,530	, 0, 3,033	,0,0,0	10000
	<u> </u>	System	10000000	I ne con	02 013276	0573
02-0627	1	Improved Honeycomb Cores For Aerospace	10/236,36	1 Co-cob-	21013216	100.0
1	i	Applications		1		

	10		AND WELLS	-4, 25 6	. The Welling Sur	in plant of
	(C)	Communication System for Tracking Assets	10/310,457	05-Dec-02	013554	0810
-0667			10/382,187	05-Mar-03	013849	0309
2-0714		Optical Differential Quadrature Phase-Shift	10/281,676	28-Oct-02	013434	0036
2-0718	į	Opiica Dileighua Quadrature i ridoo-oriint	12.20.,0,			
<u></u>	- i	Keyed Decoder	10/613,253	03-Jul-03	014295	0258
2-0889		Constant Vertical State Maintaining Cueing	10010,200	00 00.	- •	
<u>.</u>		System	10/708,110	10-Feb-04	014318	0304
2-0930	Α	COMMERCIAL AIRCRAFT ON-BOARD	10/100,110	10-1 65-0-1		
		INERTING SYSTEM	10/310,275	05-Dec-02	013554	0714
2-1095		Programmable Messages for Communication	10/310,275	CO-DEC-OF	013007	
		System having One-Button User Interface		05-Dec-02	013554	0606
2-1096		Communications Protocol for Mobile Device	10/310,481	05-D80-02	013004	0001
2-1150		On Orbit Variable Power High Power Amplifiers	10/365,359	12-Feb-03	013104	0001
	i	for a Satellite Communications System		<u></u>		0070
2-1189		VARIABLE HIGH POWER AMPLIFIER WITH	10/431,903	08-May-03	014060	0978
/2-1100	!	CONSTANT OVERALL GAIN FOR A				
	į	SATELLITE COMMUNICATION SYSTEM				ļ
2-1221	<u></u> -	Serial Port Multiplexing Protocol	10/310,751	05-Dec-02	013553	0935
)2-1221)2-1231	·	METHOD FOR PREPARING ULTRA-FINE.	10/707,173	25-Nov-03	014153	0797
12-1231	;	SUBMICRON GRAIN TITANIUM AND				1
	;	TITANIUM-ALLOY ARTICLES AND ARTICLES	1		1	1
		THE ANIOM-ALLOT ARTICLES AND ACTIONS	i	}	}	
	. .	PREPARED THEREBY	10/357,022	03-Feb-03	013728	0097
02-1244	ـــــ	Fiber Matrix for a Geometric Morphing Wing	10/396,804	24-Mar-03		0840
02-1264	į	Resonator Box to Laser Cavity Interface for	10000,007	24-1112	10.00	
	<u> </u>	Chemical Laser	10/384,037	07-Mar-03	014708	0030
02-1300	}	A Pattern Method and System for Detecting	10/364,037	U/-Web:-04	3014100	
	<u> .</u>	Foreign Object Debris	140000000	06-Mar-03	2012861	0001
02-1349		Integrated Window Display	10/383,012		2013001	0908
03-0030	1	PPM RECEIVING SYSTEM AND METHOD	10/707,076	19-NOV-0	3014140	0000
	1	USING TIME-INTERLEAVED INTEGRATORS	<u> Li</u>	<u> </u>		0446
03-0138	7. —	Capacitive Acceleration Derivative Detector	10/604,537		3 013834	
03-0192	 	AUTONOMOUSLY ASSEMBLED SPACE	10/605,797	28-Oct-0	3014080	0717
00 0 102	į	TELESCOPE	<u> l</u>	j	J	
03-0193	A	Fast Access, Low Memory, Pair Catalog	110/710,177		4014769	0432
03-0196	12-	Method and Apparatus for Real-Time Star	10/709,346	29-Apr-0	4 014554	0263
03-0130	I	Exclusion From A Database	ĺ	1	L	
03-0197	A	Method and Appartus For On-Board	10/710,178	24-Jun-0	4 014769	0735
U3-U197		Autonomous Pair Catalog Generation	İ	1.	_i	
45 5000		Variable-Duct Support Assembly	10/708,864	29-Mar-0	4 014457	0228
03-0208	- - -	BEAMFORMING ARCHITECTURE FOR MULT	TI 10/707.211	26-Nov-0	3 014159	0794
03-0271		BEAM PHASED ARRAY ANTENNAS				
		Aircraft Interior Configuration Detection System	10/710,287	30-Jun-0	4 014796	0966
03-0348	_Ļ	ALURI INCOME CONIGUIANO DE CECUMO SYSTEM	10/605,599		3 014041	0939
03-0414	1	CRYOGENIC FUEL TANK INSULATION	10000,000	1		i
L		ASSEMBLY	10/604,189	30-10-0	3 013765	0377
03-0431	1	Aircraft Secondary Electric Load Controlling	10004'res	, 30-300FG	,5,5,55	1
<u> </u>	<u> </u>	System	1.0505.50	LOAN-	3014100	0958
03-0489	T	GPS NAVIGATION SYSTEM WITH	10/605,896	1 04-1404-1	ייטו אין טייטין	10000
}	1	INTEGRITY AND RELIABILITY MONITORING		1 00 00 0	14 045977	0448
03-0520		Integrated Capacitive Bridge Integrated Flexur	B 10/953,720	5 29-Sep-(015837	UHAD
,		Functions Inertial Measurement Unit		1	144057	0004
03-0527	-1	Dynamic Seat Labeling and Pessenger	10/707,96	5 28-Jan-(14287	0001
,	1	Identification System	1	1	Į.	Ī

	98772°		00 A RE 1	- 1.4 G	4.175 <u></u>	Both Mr. Ban
33700		Dusking Apparatus for	10/904,978	08-Dec-04	015424	0962
3-0684			,		i	
i		Utilizing a Constant Force and Installing Rivet	į	İ	[
]i	Fasteners in a Sheet Metal Joint	10/709,620	18-May-04	014623	0324
3-0755		Heavy Particle Lorentz Force Accelerator	10/688,624	17-Oct-03		0753
3-0835		Aircraft Archway Architecture		17-Oct-03		0075
3-0835	A.	Interior Archway for an Aircraft	29/192,055	28-Apr-05		0075
3-0835	В	Aircraft Interior Architecture	10/908,140	28-Apr-05		0075
3-0835	C	Modular Archway for an Aircraft	29/228,800	28-Apr-05		0060
3-0885	1	Lightweight Composite Fairing Bar and Method	11/160,192	13~00-00	010134	0000
	<u>}</u>	for Manufacturing the Same			044040	0514
3-0925	-	Unterior Seating Architecture for Aircraft	10/605,586	10-Oct-03		03B3
3-0963	 -	MULTIPLE STAYOUT ZONES FOR GROUND-	10/709,348	29-Apr-04	014557	0363
4 0040	!	BASED BRIGHT OBJECT EXCLUSION				
3-1090	 	Translucent, Flame Resistant Composite	10/707,612	24-Dec-03	014217	0512
3-1090	!	Materials			<u> </u>	
~~~	. <del></del>	Shower System	10/708,749	23-Mar-04	014440	0233
3-1104	·	Unauthorized Access Embedded Software	10/658,159	09-Sep-03	014496	0326
3-1129	1			i	1	1
	÷	Protection System Undercut for Bushing Retention for SLS Details	10/710,144	22-Jun-04	014760	0698
3-1138		OLD STATE And Sections	10/710,163	23-Jun-04	014767	0205
3-1140	ـــــــــــــــــــــــــــــــــــ	SLS for Tooling Applications Mandrel, Mandrel Removal and Mandrel	10/907,320	29-Mar-0	015838	0315
3-1308		Mandret, Mandret Removal and Mandret	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			ì
	1	Fabrication to Support a Monolithic Nacelle		Į.	1	l .
	_i	Composite Panel	10/952.952	29-Sep-0	015855	0647
3-1471	}	Extended Accuracy Variable Capacitance	10/802,002	20.000		
	.i	Bridge Accelerometer	10/904,717	24-Nov-0	1015391	0571
3-1526	}	Flexible Mandrel for Highly Contoured	10/904,111	24-1101-0	101500	100
_	. <u>.</u>	Composite Stringer		27-May-0	4044664	0676
04-0016	A	AN INTEGRATED TRANSPORT SYSTEM AND	)10/109,///	21-May-0	4 0 1400	100,0
	ļ	METHOD FOR OVERHEAD STOWAGE AND	1.	:		1
	:	RETRIEVAL	1		5016178	0162
04-0054	A	REAL-TIME REFINEMENT METHOD OF	11/028,094	US-Jan-U	9/101/0	0102
	1	SPACECRAFT STAR TRACKER ALIGNMENT		Ì	1	1
	1	ESTIMATES			104000	0039
04-0070		Enhanced Pinmat for Manufacturing High-	10/904,012	19-Oct-0	4 015267	0039
		Strenth Perforated Laminate Sheets		1	-	<del></del>
04-0072		Overhead Space Access Conversion Monume	10/708,810	)   26-Mar-0	4 014451	0789
0 ,		and Service Area Staircase and Stowage			<del></del>	
04-0073	<del>-  </del>	Stowable Spiral Staircase System for Overhea	1 10/708,855	i	4 014457	0168
<del></del>	ĺ	Space Access		1		<del></del>
04-0089		Determinant Assembly Features for Vehicle	10/904,802	2 30-Nov-0	4015399	0122
O4-0003	į	Structures		<u> </u>		
04-0092	j	Overhead Space Access Stowable Staircase	10/708,73	22-Mar-(	4 014435	0168
<del></del>		MANDREL WITH DIFFERENTIAL IN		24-Nov-(	)4 015391	0450
04-0097	}	THERMAL EXPANSION TO ELIMINATE		1	1	_{
		Method to Improve Properties of Aluminum	10/939,52	3 13-Sep-	016635	0434
04-0137	}	Alloys Processed by Solid State Joining	}	1	1	
		Alloys Processed by Solid State Soliding	10/904 84	1 01-Dec-	04 01 54 04	0307
04-0208		Segmented Flexible Barrel Lay-up Mandrel	10/711,55	3 24 Son	04 015171	
04-0304		Mist Delivery System	10/904,80		04 015403	0995
04-0384		Self-Locating Feature for a Pi-Joint Assembly	10/904,80		04 015399	0046
04-0385	i	Minimum Bond Thickness Assembly Feature	10304,00	.   304100-	- 70,000	1
		Assurance	10744 22	C 45 SAS	04 015120	0758
04-0567	7	Aircraft Cabin Crew Complex	10//11,38	6 15-Sep-	CHOISISE	10130

		er were transport	The said		Legisla Same
		40000400	22-Feb-05		0268
4-0588	Articulated Spacecraft Seat and Stretcher	10/906,482	06-Jan-05		0975
4-0589	Composite Shell Spacecraft Seat	10/905,483	Ub-Jan-U5	010025	0242
4-0590	Adjustable Attenuation System for a Space Re-	10/907,931	21-Apr-05	U 10520	U242
	Entry Vehicle Seat	<u> </u>	3.3305	045720	0856
04-0667	Airmost Socurity System	10/906,757	04-Mar-05	012130	0530
04-0681	Protective Cover and Tool Splash for Vehicle	10/907,786	15-Apr-05	U10904	0550
, ,	Components	<u> </u>	<del>-</del>	A455.00	0015
04-0741	Pivot Mechanism for Quick Installation of	10/905,502	07-Jan-05	U15543	6013
	Stowage Bins or Rotating Items				0004
04-0747	Stowable Table	10/907,600	07-Apr-05	015875	0804
04-0765	Layered, Transparent Thermoplastic for	11/102,401	08-Apr-05	016303	0082
D4-07-00	Commobility Pacistance				-
04-0791	Electromagnetic Mechanical Pulse Forming of	10/905,211	21-Dec-04	015477	0601
U-1-0131	Fluid Joints for High-Pressure Applications				<u> </u> -
04-0793	Airplane Interior Systems	10/907,990	22-Арг-05	015936	0923
04-0805	Compensated Composite Structure	10/994,848	22-Nov-04		0742
04-0824	Aircraft Cart Transport and Stowage System	10/906,465	22-Feb-05		0473
04-0859	Magnetic Null Accelerometer	10/905,007	09-Dec-04		0879
04-0893	In-Process Vision Detection of Flaws and FOD	10/904,719	24-Nov-04	015397	0395
04-0093	By Back Field Illumination	}		<u> </u>	
04-0914	Aircraft Sink with Integrated Waste Disposal	10/907,625	08-Apr-05	015877	0782
04-0914	Function			1	
	Extended Accuracy Flexured Plate Dual	10/907,751	14-Apr-0	5(016279	0012
04-0977	Capacitance Accelerometer		·		
04.0000	Design Methodology to Maximize the	10/907.973	22-Apr-0	5015933	0523
04-0993	Application of Direct Manufactured Aerospace		<u> </u>	1	
		11/162,261	02-Sep-0	5016490	0847
04-0993		,	1	j	ļ
<u></u>	of Ducting  Electromagnetic Mechanical Pulse Forming of	11/028,093	03-Jan-0	5 016176	0741
04-1054	Fluid Joints for Low-Pressure Applications		1		
	Jet Airplane Configuration	29/220,256	28-Dec-0	4 016210	0260
04-1137		29/220,254	28-Dec-0	4 016209	0953
04-1137	A Jet Airplane Configuration	29/220,255		4 016210	0268
04-1137	B Jet Airplane Configuration  Method and Apparatus for Optically Detecting	11/164,414		5 016808	
04-1240	Method and Apparatus for Optionary Detecting			İ	1
	and Identifying a Threat  Multi-Ring System for Fuselage Formation	10/907,729	13-Apr-0	5 015899	0016
04-1256	Integrally Damped Composite Aircraft Floor	11/163,957		5016732	0779
04-1263		1	1	1	
	Panets Integrated Wiring for Composite Structures	11/163,001	30-Sep-0	5 016605	0244
05-0020	Integrated Wind for Composite Subctures	11/163,801		5 016708	0199
05-0084	Aircraft Stowage Bin	11/160,958		5 016273	0577
05-0164	Multiple Attendant Galley Universal Apparatus for the Inspection,	11/161,735	15-Aug-(	5 016403	0090
05-0263	Transportation, and Storage of Large Shell	1			ļ
1		ļ	ĺ	İ	
	Structures	11/162,25	02-Sep-	05 016490	0528
05-0288	Stringer Holding Device	11/164,267		05 016788	0183
05-0300	Ceiting Illumination for Aircraft Interiors	11/161,769		05 01640	0593
05-0302	Collapsible Guide for Non-Automated Area	11,101,10	1		
	Inspections	11/164,30	17-Nov-	05 01679	0416
05-0355	Antenna Vibration Isolation Mounting System	11/160,60		05 01622	
05-0360	Renewable Superhydrophobic Coating	11/163,13		05 01664	
05-0377	Flow Path Splitter Duct	11/162,92		05 01659	
05-0402	Rotor/Wing Dual Mode Hub Fairing System	111102,92	A L TO-COP		

		11/164,225	15-Nov-05	016781	0030
05-0410	Dehumidifying Radome Vent				0681
5-0466	Environmentally Stable Hybrid Fabric System for Exterior Protection of an Aircraft	11/163,614	25-Oct-05		<u> </u>
-	Space Depot For Spacecraft Resupply	11/162,333	07-Sep-05	016498	0797
05-0493	Space Depot Pol Space delication	11/162,474	12-Sep-05		0855
05-0541	Anti-Personnel Airborne Radar Application		18-Oct-05	DARREA	0683
05-0624	An Uploaded Lift Offset Rotor System For A Helicopter	11/163,414			
05-0723	Method to Control Thickness in Composite	11/164,103	10-Nov-05	016762	0663
10-0/23	Parts Cured on Closed Angla Tool		<u> </u>		

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

# IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.